

Google scholar

mapping multicast address to another multicast

Search

Advanced Scholar Search

Scholar

Articles and patents

- 2002

include citations



Create email alert Results 1 - 10 of about 11,000. (0.10 sec)

Multicast routing in datagram internetworks and extended LANs[\[PDF\] from psu.edu](#)

SE Deering... - ACM Transactions on Computer ..., 1990 - portal.acm.org

... where **address**-space constraints on a particular LAN force a many-to-one **mapping** of internetwork ... changes due to a bridge or LAN coming up or going down, the **multicast** entries in ... When issuing a membership report for group G, a host initializes the destination **address** field to ...

Cited by 1730 - Related articles - Library Search - BL Direct - All 133 versions

Session directories and scalable Internet multicast address allocation[\[PDF\] from psu.edu](#)

M Handley - Proceedings of the ACM SIGCOMM'98 conference on ..., 1998 - portal.acm.org

... The mcollect data is not a complete **mapping** of all of the Mbone because some mrouter do not have unicast routes to the mwatch daemon, but it ... **Multicast Addresses** Allocated before Clash ... One way is for two or more TTLs of sessions fall into the same IPRMA **address** partition. ...

Cited by 52 - Related articles - BL Direct - All 15 versions

Application-layer anycasting[\[PDF\] from psu.edu](#)

S Bhattacharjee, MH Ammar... - ... Joint Conference of ..., 2002 - ieeexplore.ieee.org

... In the former case the anycast group represents a group of servers and in the latter it represents a collection of **multicast** groups. In both cases, the anycasting service provides a **mapping** from the ADN representing the group to the "best" **address** in the collection according ...

Cited by 213 - Related articles - Library Search - BL Direct - All 19 versions

Deployment issues for the IP multicast service and architecture[\[PDF\] from psu.edu](#)

C Diot, BN Levine, B Lyles, H Kassam... - Network, ..., 2002 - ieeexplore.ieee.org

... Senders cannot reserve **addresses** or prevent **another** sender from choosing the same **address**. ... is the Multi-cast Source Discovery Protocol (MSDP), which distributes this **mapping** and announces ... set of **multicast** extensions for BGPv4 that separates uni-cast and **multicast** policy ...

Cited by 692 - Related articles - BL Direct - All 36 versions

Method for managing multicast addresses for transmitting and receiving multimedia conferencing information on an internet protocol (IP) network implemented over an ...

A DeSimone, J Golan, AK Kuthyay... - US Patent ..., 2000 - Google Patents

... Each client then configures its IP-over-ATM interface to use that specific MARS server for the **mapping** of the conference **multicast** IP **addresses** to ATM **addresses**. Further, if the specific conference also uses a **Multicast** Server (MCS), the ATM **address** of a single special ...

Cited by 89 - Related articles - All 5 versions

Disseminating active map information to mobile hosts[\[PDF\] from psu.edu](#)

BN Schilit... - Network, IEEE, 2002 - ieeexplore.ieee.org

... times, t, equal subscriptions **map** to the same member of G and unequal subscriptions **map** to different ... a currently submitted client s~bscription.~ This record contains a count field, a **multicast** channel identifier ... A unique uni-cast callback **address** is also maintained for each client. ...

Cited by 753 - Related articles - Library Search - BL Direct - All 13 versions

An architecture for wide-area multicast routing[\[PDF\] from psu.edu](#)

S Deering, D Estrin, D Farinacci... - Proceedings of the ..., 1994 - portal.acm.org

... 1.1 Background In the traditional 1P **multicast** model, established by Deering [2], a mtdica.st **address** is assigned to the collection of receivers for a **multicast** group. Senders simply use that **address** as the destination **address** of a packet to reach all members of the group. ...

Cited by 519 - Related articles - BL Direct - All 41 versions

Heuristics for Internet map discovery[\[PDF\] from psu.edu](#)

R Govindan... - INFOCOM 2000. Nineteenth ..., 2002 - ieeexplore.ieee.org

... From traceroutes to each such **address**, they determine router adjacencies, building a router adjacency graph in ... A similar technique can also be used for the Internet's **multicast** overlay network, the ... Our interest in heuristics for Internet **mapping** are motivated by the desire to ...

Cited by 718 - Related articles - BL Direct - All 31 versions

IP-based protocols for mobile internetworking[\[PDF\] from psu.edu](#)

J Ioannidis, D Duchamp... - Proceedings of the ..., 1991 - portal.acm.org

... This query may be **multicast**, sent individually to all MSSS, or flooded from MSS to MSS. ... 'IWOkinds of interactions that take place in the data-link layer are of interest to us: **mapping** logical addresses to ... An example of the first is the **Address** Resolution Protocol, ARP [I%J82]. ...

Cited by 437 - Related articles - All 22 versions

Internet indirection infrastructure[\[PDF\] from psu.edu](#)

I Stoica, D Adkins, S Zhuang... - Proceedings of the ..., 2002 - portal.acm.org


... This is done by **mapping** each identifier to a unique i3 node (server); at any given time ... allows

3/11/2011

mapping multicast address to another ...

a trigger to send a packet to **another** identifier rather than to an **address**. ... how identifier stacks
can be used to provide service composition, implement heterogeneous **multicast**, and in ...

[Cited by 882](#) - [Related articles](#) - [BL Direct](#) - [All 50 versions](#)

 [Create email alert](#)

Goooooooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2011 Google